

# Purchase Order Receipt Listing

Thursday, May 18, 2017 3:37:39 PM

All amounts are calculated in domestic currency.

All Vendors PO ID PO36238 Receipt Dates from 5/16/2017 to 5/16/2017 All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
<b>Vendor ID/Vendor Name</b>											
PO36238	1		VU-TWMM001 TW Metals								
USD	No		✓ M6061T6T1.750W.06 f		5/19/2017	5/16/2017	240.0000	✓	0.0000	0	\$0.00
			6061T6 RDTUBE f		240.0000	PLOU01			0.0000	0	
			1.750 X 0.65W								
			m137541								
	2		✓ M6061T6T1.000W06 f		5/19/2017	5/16/2017	144.0000	✓	0.0000	0	\$0.00
	No		6061T6 RD TUBE f		140.0000	PLOU01			0.0000	0	
			1.00 x .065w								
			m137541								
	3		✓ M6061T6T0.875W0.1 f		5/19/2017	5/16/2017	24.0000	✓	0.0000	0	\$0.00
	No		25 6061-T6 RD TUBE f		24.0000	PLOU01			0.0000	0	
			.875 X .125W								
			m137541								
	4		✓ M6061T6T1.250W.12 f		5/19/2017	5/16/2017	144.0000	✓	0.0000	0	\$0.00
	No		5 ALUM. RD TUBING f		140.0000	PLOU01			0.0000	0	
			1.250 x .125W								
			m137541								
	5		✓ M6061T6TS1.000W. f		5/19/2017	5/16/2017	231.9170	✓	0.0000	0	\$0.00
	No		125 6061T6 SQ TUBE f		240.0000	PLOU01			0.0000	0	
			1.00 x 1.00 x .125w								
			m137541								
	6		71401-45		5/19/2017	5/16/2017	1.0000		0.0000	0	\$0.00
	No		PROCUREMENT		1.0000	PLOU01			0.0000	0	
			QUALITY								
			CLAUSES								
			m137541								

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
------------------------------------	-----------------------------	------------	--	-----------------------	-------------------------------	---------------------------	-------------------------	------------------------------	--	-------------------------------	----------

Total Received Quantity: 784.9170  
 Total Qty to Inspect (PO U/M): 0.0000  
 Total Reject Quantity: 0.0000  
 Total Receipt Value: \$0.00  
 Total Balance Due Quantity: 8.0830



O'Neal High-Performance Metals Group



Packing Slip

ORDER NO.: 70656670

FROM: ATLA

PAGE 1

CUST NUMBER: 1203820 NET WGT: 323.709 REQ.DATE: 05/16/17 CONFIRMED  
SOLD TO: SHIP TO:  
DART AEROSPACE LTD DART AEROSPACE LTD  
1270 ABERDEEN ST 1270 ABERDEEN ST  
HAWKESBURY ON HAWKESBURY ON  
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 05/10/17  
TERMS: NET 30 DAYS VIA: COMMON CARRIER  
F.O.B.: SHIPPING POINT FREIGHT: PREPAID  
CUST ORD NO.: PO36238 RELEASE NO.:  
RECEIVING PHONE:

LINE ITEM DESCRIPTION WIDTH LENGTH  
0001 44328 D6061-T6 1-3/4 OD X .065 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	240.000 FT	240.000 FT	240.000 FT	97.085	20

\*\* 1 TEST REPORTS REQUIRED \*\*  
\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
PO:49366422 HT:F002377650002 PC: 20 CUSTOMER QTY: UOM  
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:222786

0002 43284 D6061-T6 1 OD X .065 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	140.000 FT	144.000 FT	144.000 FT	32.400	12

\*\* 1 TEST REPORTS REQUIRED \*\*  
\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
PO:49362678 HT:F002323970002 PC: 12 CUSTOMER QTY: UOM  
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:F002323970002

0004 43737 D6061-T6 1-1/4 OD X .125 WA 12 FT ML

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT	PCS
	140.000 FT	144.000 FT	144.000 FT	74.805	12

\*\* 1 TEST REPORTS REQUIRED \*\*  
\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
PO:49338952 HT:F002014030003 PC: 1 CUSTOMER QTY: UOM  
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:219089  
PO:49363161 HT:F002325390001 PC: 11 CUSTOMER QTY: UOM  
MLT:UNITED STATES MFG:UNITED STATES SLB/CL:F002325390001

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE  
PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL  
REVIEW.  
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



# Packing Slip

ORDER NO.: 70656670

FROM: ATLA

PAGE 2

CUST NUMBER: 1203820 NET WGT: 323.709 REQ.DATE: 05/16/17 CONFIRMED  
 SOLD TO: SHIP TO:  
 DART AEROSPACE LTD DART AEROSPACE LTD  
 1270 ABERDEEN ST 1270 ABERDEEN ST  
 HAWKESBURY ON HAWKESBURY ON  
 CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 05/10/17  
 TERMS: NET 30 DAYS VIA: COMMON CARRIER  
 F.O.B.: SHIPPING POINT FREIGHT: PREPAID  
 CUST ORD NO.: PO36238 RELEASE NO.:  
 RECEIVING PHONE:

LINE	ITEM DESCRIPTION	WIDTH	LENGTH
0005	45963 E6061-T6 SQ-SQ TUBE 1 SQ X .125 WA		21'-1" FT
CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY
	240.000 FT	231.917 FT	231.917 FT
			WT 119.419

PCS  
11

\*\* 1 TEST REPORTS REQUIRED \*\*  
 \*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99 Export License: NLR Expiration Date: 0/00/00  
 PO:49357388 HT:28505101 PC: 11 CUSTOMER QTY: UOM  
 MLT: MFG:UNITED STATES SLB/CL:28505101

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B1	REDDICRATE	1.000	142.000	8.0000	150.0000	11
B1	REDDICRATE	1.000	297.000	8.0000	260.0000	7
		2.000	439.000			

BY:  
RT 000-

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED \_\_\_\_\_

DATE FILLED \_\_\_\_\_

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE  
 PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL  
 REVIEW.  
<http://www.twmetals.com/invoice-terms.html>



O'Neal High-Performance Metals Group



# Packing Slip

ORDER NO.: 70656670

FROM: ATLA

PAGE 3

CUST NUMBER: 1203820 NET WGT: 323.709 REQ.DATE: 05/16/17 CONFIRMED  
SOLD TO: SHIP TO:  
DART AEROSPACE LTD DART AEROSPACE LTD  
1270 ABERDEEN ST 1270 ABERDEEN ST  
HAWKESBURY ON HAWKESBURY ON  
CANADA CN K6A 1K7 ONTARIO CANADA CN K6A 1K7

SALESPERSON: DONNA SMALLEY SHIP BY: 05/10/17  
TERMS: NET 30 DAYS 175 TUBEWAY  
F.O.B.: SHIPPING POINT FOREST PARK GA 30297  
CUST ORD NO.: PO36238  
VIA: COMMON CARRIER  
FREIGHT: PREPAID  
RELEASE NO.:  
RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

## "CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk \_\_\_\_\_

Date: 5/10/17

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

### THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON OUR WEBSITE FOR YOUR CAREFUL REVIEW.  
<http://www.twmetals.com/invoice-terms.html>



## PACKING SLIP

ORDER NO.: 05063709

FROM: TOLE

PAGE 1

CUST NUMBER: 1203820

NET WGT:

8.032 REQ.DATE: 05/16/17 CONFIRMED

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

CANADA

CN K6A 1K7

SHIP TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKESBURY ON

ONTARIO CANADA

09406868910

ODRI

TOL

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

TERMS:

NET 30 DAYS

F.O.B.:

SHIPPING POINT

CUST ORD NO.:

PO36238 IT 3

SHIP BY:

05/11/17

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

WIDTH

LENGTH

12 FT ML

LINE ITEM DESCRIPTION  
0001 43019 D6061-T6 7/8 OD X .120 WA

CLN#	ORD QTY	INVOICE QTY	SHIPPED QTY	WT
	24.000 FT	24.000 FT	24.000 FT	8.032

PCS  
2

\*\* 1 TEST REPORTS REQUIRED \*\*

\*\* 1 CERTS REQUIRED \*\*

ECCN: EAR99

Export License: NLR

Expiration Date: 0/00/00

PO:49362166 HT:F0023199900001 PC: 2

CUSTOMER QTY:

UOM

MLT:UNITED STATES MFG:UNITED STATES

SLB/CL:222169

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
OLD DOM SPECIFY		1.000	25.000	1.5000	150.0000	

BY: AK  
RT 000-

1.000 25.000

UNLOAD TYPE: NONE SPECIFIED

DATE SHIPPED \_\_\_\_\_

DATE FILLED \_\_\_\_\_

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE  
OF THESE PRODUCTS ARE SET FORTH ON THE  
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



# PACKING SLIP

ORDER NO.: 05063709

FROM: TOLE

PAGE 2

CUST NUMBER: 1203820 NET WGT:

8.032 REQ.DATE: 05/16/17 CONFIRMED

SOLD TO:

SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKESBURY ON

CANADA

CN K6A 1K7

ONTARIO CANADA

CN K6A 1K7

SALESPERSON:

DONNA SMALLEY

SHIP BY:

05/11/17

TERMS:

NET 30 DAYS

3570 EXPRESSWAY DRIVE

F.O.B.:

SHIPPING POINT

TOLEDO

OH 43608

CUST ORD NO.:

PO36238 IT 3

VIA:

COMMON CARRIER

FREIGHT:

PREPAID

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at [www.twmetals.com](http://www.twmetals.com). MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

## "CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for coniferous non-manufactured wood packing material"

Authorized Test Report Clerk

Date: 5/11/17

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

# THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.



# KAISER ALUMINUM FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49362166-1		CUSTOMER PART NUMBER: 43019		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 222169	LINE ITEM: 001	SHIP DATE: 01/09/2017	KAISER LOT NUMBER: F00231999	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 912.000 LB	QUANTITY: 227.000 PCS	B/L NUMBER: 223993	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO:  TW METALS INC 3570 EXPRESSWAY DR TOLEDO, OH 43608 USA			SOLD TO:  TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00231999	0001	1	48.2	42.8	20.0	N/A	N/A	N/A
F00231999	0002	1	47.8	42.2	20.5	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D83231	.62	.32	.24	.06	1.01	.10	.08	.03	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 0.8750"; Wall: 0.1200"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).



Plant Serial: 00023857  
Kaiser Order Number: 222169  
Line Item: 001



**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager

*[Signature]*



Plant Serial: 00023857  
Kaiser Order Number: 222169  
Line Item: 001

# KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49366422-1		CUSTOMER PART NUMBER: 44328		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 222786	LINE ITEM: 001	SHIP DATE: 04/06/2017	KAISER LOT NUMBER: F00237765	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 641.000 LB	QUANTITY: 132.000 PCS	B/L NUMBER: 224872	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00237765	0001	1	44.4	38.5	25.0	N/A	N/A	N/A
F00237765	0002	1	44.7	39.0	22.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D76515	.58	.30	.23	.06	.97	.08	.08	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 1.7500"; Wall: 0.0650"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA (DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5 TRADE AGREEMENTS).

Plant Serial: 00024617  
Kaiser Order Number: 222786  
Line Item: 001

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**


<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager



# KAISER ALUMINUM FABRICATED PRODUCTS

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49362678-1		CUSTOMER PART NUMBER: 43284		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 222237	LINE ITEM: 001	SHIP DATE: 01/27/2017	KAISER LOT NUMBER: F00232397	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 776.000 LB	QUANTITY: 288.000 PCS	B/L NUMBER: 224195	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  TW METALS INC 175 TUBEWAY FOREST PARK, GA 30298 USA			SOLD TO:  TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00232397	0001	1	46.6	40.2	18.0	N/A	N/A	N/A
F00232397	0002	1	46.7	40.7	20.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D83226	.60	.27	.25	.05	1.00	.08	.05	.03	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 1.0000"; Wall: 0.0650"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).



**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226


**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager



# KAISER ALUMINUM

FABRICATED PRODUCTS

*Best in Class*

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49338952-1		CUSTOMER PART NUMBER: 43737		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 219089	LINE ITEM: 001	SHIP DATE: 11/05/2015	KAISER LOT NUMBER: F00201403	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 1370.000 LB	QUANTITY: 220.000 PCS	B/L NUMBER: 220291	DIAM/OD/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO: TW METALS INC 27 ENGLEHARD DRIVE EXIT 8A OFF NJ TPK MONROE TWP, NJ 08831 USA			SOLD TO: TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties


REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00201403	0001	1	45.0	41.9	18.0	N/A	N/A	N/A
F00201403	0002	1	46.1	43.5	18.0	N/A	N/A	N/A
F00201403	0003	1	45.0	39.9	20.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D75202	.60	.26	.22	.06	.96	.06	.04	.02	.00	.00	.00	.01	.02
D74637	.58	.25	.21	.05	.93	.05	.03	.02	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 1.2500"; Wall: 0.1250"; Round @  
AMS-4082P AMS-WW-T-700/6B ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1., Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.



### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).

Plant Serial: 00020702  
Kaiser Order Number: 219089  
Line Item: 001

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

**CERTIFIED TEST REPORT**

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

**CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Nathaniel Stevens, Quality Manager



Plant Serial: 00020702  
Kaiser Order Number: 219089  
Line Item: 001



# KAISER ALUMINUM FABRICATED PRODUCTS

## CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

CUSTOMER PO NUMBER: M49363161-1		CUSTOMER PART NUMBER: 43737		PRODUCT DESCRIPTION: Drawn Seamless Tube/Pipe	
KAISER ORDER NUMBER: 222299	LINE ITEM: 001	SHIP DATE: 02/02/2017	KAISER LOT NUMBER: F00232539	ALLOY: 6061	TEMPER: T6
WEIGHT SHIPPED: 405.000 LB	QUANTITY: 65.000 PCS	B/L NUMBER: 224241	DIAM/DAF/THKNS:	WIDTH:	LENGTH: 12.000 FT
SHIP TO:  TW METALS INC 175 TUBEWAY FOREST PARK, GA 30298 USA			SOLD TO:  TW METALS INC 760 CONSTITUTION DRIVE SUITE 204 EXTON, PA 19341 USA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CON%IACS	BEND
F00232539	0001	1	48.1	42.8	21.0	N/A	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
D83271	.61	.26	.22	.05	.98	.08	.09	.03	.00	.00	.00	.01	.02

### Applicable Requirements:

Description: OD: 1.2500"; Wall: 0.1250"; Round @  
AMS4082P AMS-WW-T-700/6C ASTM B210-12 WW-T-700/6F  
WE TAKE EXCEPTION TO PARA. 5.2.1.1, Per AMS-4082P, WAS NOT OILED.  
This Product Complies to FAR BAA, DFARS BAA, FAR TAA  
COMPLIES TO DIN EN 10204 JAN 2005  
No Weld Repair. Mercury Free.

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
MATERIAL COMPLIES WITH FAR BAA (FAR 52.225-1, BUY AMERICAN ACT- SUPPLIES), DFARS BAA  
(DFARS 252.225-7001 BUY AMERICAN ACT & BAL OF PAYMENTS PROG), AND FAR TAA (FAR 52.225-5  
TRADE AGREEMENTS).



# **KAISER ALUMINUM**

**FABRICATED PRODUCTS**

KAISER ALUMINUM  
FABRICATED PRODUCTS, LLC  
6573 W. WILLIS ROAD  
CHANDLER, AZ 85226

## **CERTIFIED TEST REPORT**



<http://Online.KaiserAluminum.com>

### **CERTIFICATION**

Kaiser Aluminum Fabricated Products, LLC ('Kaiser') hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms & conditions of sale. Test reports are on file subject to examination.

Hans Kattentidt, Quality Manager



TEST REPORTS ACCEPTED BY  FEB 07 2017  TW METALS 49363161
---

**sapa:****CERTIFIED MATERIAL RESULTS  
ALUMINUM EXTRUDED PRODUCTS**SAPA EXTRUDER, INC - BUR, NC  
BURLINGTON, NC 27215  
(336) 227-8826

<b>CUSTOMER SHIP TO</b> TW METALS INC TW METALS, INC./ATLANTA FOREST PARK, GA 30298		<b>ITEM DESCRIPTION</b> 45963 1" SQ X .125W Tu-SC	<b>PCS SHIPPED</b> 200
<b>CAST#</b>	<b>SUPPLIER</b>	<b>ALLOY</b> 6061	<b>TEMPER</b> T6
<b>CUSTOMER PO</b> M49357388		<b>SAPA ORDER</b> 285051 - 01	<b>PLANT</b> 22
<b>PRODUCT SPECIFICATIONS</b> Extruded Rod, Bar, Shape or Tube ASTM B221-14 AMS QQ-A-200/8		<b>PART REVISION</b>	<b>DIE REVISION</b> B

**MECHANICAL PROPERTIES**

MECHANICAL PROPERTIES					
DIE NUMBER 600755	Nbr of TEST 3	TENSILE STRENGTH: KSI (*)		YIELD (**)	
		Min 45.1300	Max 45.3000	Min 41.3800	Max 42.9000
LOT NUMBER 285051-01		ELONGATION % (***)		CONDUCTIVITY	
		Min 10.2000	Max 12.9000	Min .0000	Max .0000

**CHEMICAL COMPOSITION (%)**

Element	Min	Max	Element	Min	Max	Element	Min	Max
SI	.4000	.8000	MN	.0000	.1500	ZN	.0000	.2500
FE	.0000	.7000	MG	.8000	1.2000	TI	.0000	.1500
CU	.1500	.4000	CR	.0400	.3500	B	.0000	.0000

Made in USA.

**TEST REPORTS  
ACCEPTED BY**  
49357388  
OCT 19 11/16**TW METALS**  
*Paula Harper*

Sapa hereby certifies that metal shipped under the order has been inspected and tested and found in conformance with the applicable specifications forming a part of the description set forth in Sapa's Sale Order Acknowledgement Form. Any warranty is limited to that shown on Sapa's Standard General Terms & Conditions of Sale. Test reports are on file and available for examination.

Profiles supplied are "domestic end products" as defined in FAR 52.225-1 "Buy American Act - Supplies" and DFARS 252.225-7001 "Buy American Act and Balance of Payments Program", and are "U.S. made end products" as defined in FAR 52.225-5 "Trade Agreements." Aluminum billet, which is the principal component used in the manufacturing process, is purchased from sources in the U.S. and/or in qualifying countries as described in DFARS 225.872.1. This profile is manufactured at one of Sapa Extrusion Group's U.S. facilities. This product is mercury free.

- (\*) ONE KSI EQUALS 1000 POUNDS PER SQUARE INCH.  
(\*\*) YIELD STRENGTH DETERMINED BY 0.2% OFFSET METHOD.  
(\*\*\*) GAGE LENGTH MEASURED IN 2.000" SECTION.  
(\*\*\*) ELONGATION TAKEN AFTER FRACTURE

**AUTHORIZED SIGNATURE**

10/13/16

Harold Harper  
Quality Manager

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6+1.750 W-065

PO / BATCH NO.: 030238/M137541

DATE: MAY 19 2017

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 240'  
 QUANTITY INSPECTED: 240'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .065  
 THICKNESS RECEIVED: .065  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT FINISH	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORROSION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT GRAIN DIRECTION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT MATERIAL PER M-DRAWING	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	AS+m B210
CORRECT THICKNESS	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT REF # TO LINK CERT	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	HF # F00237765
CORRECT MATERIAL IDENTIFICATION	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
CORRECT M# ON THE MATERIAL	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input type="checkbox"/> N <input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

*testers located in the Quality Office*

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>CB</u>		SIGNED OFF BY: _____	
DATE: <u>MAY 19 2017</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MC061tet1.000W.065

PO / BATCH NO.: PO36238/M137641

DATE: MAY 19 2017

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .065

QUANTITY RECEIVED: 144'

THICKNESS RECEIVED: .061

QUANTITY INSPECTED: 144'

SHEET SIZE ORDERED: N/A

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORROSION	Y <input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	ASTM B210
CORRECT THICKNESS	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
PHOTO REQUIRED	Y <input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	HT # F0033397
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y <input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>CA</u>	SIGNED OFF BY: _____
DATE: <u>MAY 19 2017</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6+0.875Wx.125  
 DATE: MAY 19 2017

PO / BATCH NO.: 0036238/M137541

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 24'  
 QUANTITY INSPECTED: 24'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .125  
 THICKNESS RECEIVED: .125  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
CORROSION	Y	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/>	N	ASTM B210
CORRECT THICKNESS	<input checked="" type="checkbox"/>	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	HT # F00231999
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>CB</u>	SIGNED OFF BY: _____		
DATE: <u>MAY 19 2017</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MCGHGT120W.125  
 DATE: MAY 19 2017

PO / BATCH NO.: P036238/M137541

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 144'  
 QUANTITY INSPECTED: 144'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .125  
 THICKNESS RECEIVED: .125  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	N	<u>ASTM B210</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	<u>H7# F03201403 / F00232539</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>OB</u> DATE: <u>MAY 19 2017</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061T6+SL1000W.125

PO / BATCH NO.: PO36238/M137541

DATE: MAY 19 2017

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 231.9'  
 QUANTITY INSPECTED: 231.9'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .125  
 THICKNESS RECEIVED: .123  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y	N	
CORROSION	Y	<input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/> Y	N	<u>AMS-QQA 200</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y	N	<u>4771 28505101</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>CB</u> DATE: <u>MAY 19 2017</u>	SIGNED OFF BY: _____ DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO36238**

Purchase Order Date 5/9/2017

PO Print Date 5/9/2017

Page Number 1 of 3

**Order From :**

VU-TWM001

TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

**Ship To :** DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

E-MAILED  
MAY 09 2017

**Contact Name**

**Vendor Phone** 585 768 5600

**Ship To Contact**

**Ship To Phone**

**Ship Via:** YRC COLLECT

**Ship Acct:**

**Buyer**

Chantal Lavoie

**Customer POID**

**Customer Tax #** 10127-2607

**Terms**

Net 30

**Currency**

USD

**FOB**

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
----------	--	------------------------	--------------------------------------	----	--------------------------------	---------------	-------------------

1	M6061T6T1.750W.065	6061T6 RDTUBE 1.750 X 0.65W	5/16/2017 Yes 5/16/2017		240.00 f	\$6.75	\$1,620.00
---	--------------------	--------------------------------	-------------------------------	--	-------------	--------	------------

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING  
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR  
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR  
ASTM B241

**Line Total:** \$1,620.00

2	M6061T6T1.000W065	6061T6 RD TUBE 1.00 x .065w	5/16/2017 Yes 5/16/2017		140.00 f	\$2.96	\$414.40
---	-------------------	--------------------------------	-------------------------------	--	-------------	--------	----------

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING  
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR  
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR  
ASTM B241

**Line Total:** \$414.40

**Note:**

5/9/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO36238

Purchase Order Date 5/9/2017

PO Print Date 5/9/2017

Page Number 2 of 3

Order From :  
TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

VU-TWM001

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone 585 768 5600

Ship To Contact  
Ship To Phone  
Ship Via: YRC COLLECT  
Ship Acct:

Buyer Chantal Lavoie  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 30  
Currency USD  
FOB FCA - (Free Carrier)

3	M6061T6T0.875W0.125	6061-T6 RD TUBE .875 X .125W	5/16/2017	24.00	✓	\$12.50	\$300.00
			Yes	f			
			5/16/2017				

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING  
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR  
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR  
ASTM B241

Line Total: \$300.00


4	M6061T6T1.250W.125	ALUM. RD TUBING 1.250 x.125W	5/16/2017	140.00	✓	\$4.90	\$686.00
			Yes	f			
			5/16/2017				

MATERIAL: 6061-T6/T62/T6510/T6511 SEAMLESS TUBING  
AS PER WW-T-700/6 OR QQ-A-200/8 OR QQ-A-225/8 OR  
AMS 4080 OR AMS 4082 OR AMS 4083 OR ASTM B210 OR  
ASTM B241

Line Total: \$686.00

Note:

5/9/2017



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

**PURCHASE ORDER**  
  
**Purchase Order ID PO36238**  
  
**Purchase Order Date 5/9/2017**  
**PO Print Date 5/9/2017**  
  
**Page Number 3 of 3**

**Order From :**  
TW METALS  
PO BOX 933014  
ALTANTA, GA 31193-3014  
US

**VU-TWM001**

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

<b>Contact Name</b>		<b>Buyer</b>	Chantal Lavoie
<b>Vendor Phone</b>	585 768 5600	<b>Customer POID</b>	
		<b>Customer Tax #</b>	10127-2607
<b>Ship To Contact</b>		<b>Terms</b>	Net 30
<b>Ship To Phone</b>		<b>Currency</b>	USD
<b>Ship Via:</b>	YRC COLLECT	<b>FOB</b>	FCA – (Free Carrier)
<b>Ship Acct:</b>			

5	M6061T6TS1.000W.125	6061T6 SQ TUBE 1.00 x 1.00 x .125w	5/16/2017	240.00				
			Yes					
			5/16/2017					

MATERIAL: 6061-T6 OR 6061-T651/T6510/T6511/T62 SQUARE TUBING AS PER AMS-QQ-A-255/8 OR AMS 4117/4128/4115/4116 OR PER AMS-QQ-A-200/8 OR AMS 4160

NOTE: MATERIAL NEED TO BE WITH FLAT EDGE NOT ROUNDED

					<b>Line Total:</b>	<b>\$480.00</b>
6	71401-45	PROCUREMENT QUALITY CLAUSES	5/16/2017	1.00		
			No			
			5/16/2017			

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

**Line Total:** \$0.00

**PO Total:** \$3,500.40

**Note:** Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.